

KOJO


WORLDWIDE
HOTEL INDUSTRY SPECIALIST



Drapery Specifications


Adding Value To Your Success

Windows To Floor



Without Treatments


Window Treatment: 1L



Windows To Floor

- Under Treatment: Sheer Drapery
- Over Treatment: Ripple Fold or French Pleated Drapery
- Top Treatment: Tailored Valance, Cornice or Fascia

Window Treatment: 2L



Windows To Floor

- Under Treatment: Nara Panel System - Solar or Sheer
- Over Treatment: Ripple Fold or French Pleated Drapery
 - Top Treatment: Fascia, Cornice or Valance


Window Treatment: 3L



Windows To Floor

- Under Treatment: Nara Panel System - Solar or Sheer
- Over Treatment: Nara Panel System - Solar or Sheer
 - Top Treatment: Fascia, Cornice or Valance


Window Treatment: 6L



Windows To Floor


- Under Treatment: Blackout Drapery
- Middle Treatment: Sheer Drapery
- Over Treatment: Ripple Fold or French Pleated Blackout Lined Drapery
- Top Treatment: Tailored Valance, Cornice or Fascia

Windows To Platform



Without Treatments


Window Treatment: 1S



Windows To Platform

- Under Treatment: Roller Shade -Solar or Blackout
- Middle Treatment: Blackout Lined or Sheer Drapery
 - Over Treatment: Side Panels - One pair
- Top Treatment: Fascia, Cornice or Valance

Window Treatment: 2S



Windows To Platform

- Under Treatment: Nara Panel System - Blackout or Blackout Lined
 - Over Treatment: Side Panels - One pair
- Top Treatment: Fascia, Cornice or Valance


Window Treatment: 3S



Windows To Platform

- Under Treatment: Nara Panel System - Solar, Sheer or Blackout
- Over Treatment: Nara Panel System - Solar, Sheer or Blackout
 - Top Treatment: Fascia, Cornice or Valance


Window Treatment: 4S



Windows To Platform

- Under Treatment: Roller Shade - Solar or Blackout
- Over Treatment: Blackout-Lined Roman Shade
 - Possible Channels for Light Seal
- Top Treatment: Fascia, Cornice or Valance


Window Treatment: 6S




Windows To Platform

- Under Treatment: Blackout Drapery
- Middle Treatment: Sheer Drapery
- Over Treatment: Side Panels - One pair
- Top Treatment: Fascia, Cornice or Valance

Window Treatment: Light Seal



Side View Of Roller Shade



Roman or Roller Shade for Light Seal

- Under Treatment: Solar Shade
- Over Treatment: Roman Shade
- Top Treatment: Fascia

Specification for Hotel Drapery

Style: French Pleated:

Triple fold, straight needled and bar tacked 1/2" from bottom of buckram using #25 monofilament thread (6 pleats per 54" fabric width). F Tacks or L Tacks are not allowed.

Standard fullness = 200%

Desired fullness = Must specify for accurate quotation

Accordia Fold, Archifold, Ripplefold:

Straight needled with nylon snap tape.

Fullness determined by spacing between snap tape.

Specify 220%, 200%, 180%, or 160%.

Lining: Non- Blackout Cotton:

Used for draperies that DO NOT require blackout in rooms. (i.e. side panels, public areas, etc.)

"KOJO" 2-PASS BLACKOUT:

Flame retardant 2-pass blackout lining, white or ecru foam on one side, 56/44 cotton/polyester on the other side.

Cotton/polyester side should be to the inside of drapery between the face material and blackout material.

KOJO 3-Pass Blackout:

Used for separate blackout draperies. White or ecru on both sides. Occasionally 3-pass blackout lining is recommended for light weight, light colored face fabric to prevent discoloration of the face fabric.

Note: Aillinirig to be first quality. No seconds or shorts are used.

Heading: French Pleats: 4" washable buckram.

Seams: Face:

Overlocked using true safety stitches. All selvages are to be removed and patterns to be matched.

Lining:

Overlocked using a true safety stitch, turned over and single needled to prevent light leakage.

Specification for Hotel Drapery

Pleat Mark:

All draperies should be pleat marked and hide the seams behind the pleats.

Bottom Hems

Face: 4" double fold with straight blindstitch.

Lining: , Finish 1/2" above face bottom.

Side Hems: 1-1/2" in size.

Tabling: Every Drapery should be custom tabled and made to exact size.
Drapery should finish 1/2" from the highest point of carpet.

Weights: 3/4" square covered weight sewn on each seam and corner of face fabric.

Overlaps: Standard 3-1/2", First pleats should be at 7" and 3 1/2" to be turned back and the edge should be sewn down at top to prevent light leakage on overlaps down the length of drapery.

Corners: Sew closures at bottom hems using a bonis machine,

Fan Fold: Drapery to be fan folded.

Returns: Three to six inch depending on application.

Pin Hooks: Hooks will be stainless steel type.

Cornice Specification – Window Treatment

Style: Padded straight cornice with 1/2" welt top and bottom. (Welting can be self-material or accent.)

Fill: 12 oz. bonded polyester will be used for padding.

Height: 12"

Backside of cornice will be covered with white blackout lining. Staples not visible.

Note: Other styles and sizes of cornices available with upcharge (see drawing).

Specifications For Sheer Draperies For Hotels

Seams: Overlocked using 100% cotton thread.

Headings: Washable buckram to be used.. Heading is 4" double.

Bottom Hems 4" double fold with straight blindstitch, using 100% cotton thread.

Side Hems: Blindstitched 1-1/2" double fold using 100% cotton thread.

Weights: 3/4" covered weight sewn on each seam and corner. Shot tape to be used on 118" wide goods (if requested). Recommend to use 118" width fabric as much as possible.

Pleats: Triple fold french pleats, straight needled, then bar tacked 1/2" from bottom of " buckram using #25 monofilament thread (5 pleats per width). Based on 48" material.

Overlaps: Standard 3-1/2"

Corners: Sewn closures at all bottom hems using a bonis machine to add durability and stability to drapery.

Fan Fold: Drapery to be fan folded.

Fullness: 200% (unless other;wise specified).

Returns: 3".

Pin Hooks: Hooks will be stainless steel.

Draperies will finish 3/4" to 1" from floor or carpet. All draperies are custom tabled for exact size.

Nara Panel Glide System

A unique system of sliding panels used for windows, wall treatments and room dividers.

Overview

Each panel system is built up from the three different profiles available, combining them to arrive at the number of channels required. Sturdy Delrin carriers on wheels with bonded Velcro hooks let the panels glide effortlessly over wide spans. Panels can be easily removed by taking off the Velcro carrier and removing the bottom weight from its pocket for cleaning or to change the fabric.

NARA panel System is arranged to stack right or left /single, or pair/center stack. Operated by Cord, baton or motorized is available.



NARA Panel System at Hotel Guest Rooms

Here are examples how the NARA Panel System can be used most effectively at hotel guest rooms.

When both under and over treatment is desired to be NARA Panel System, three-channels/ four panels, Center Open System is recommended;

- € Sheer or Solar Nara Panels at the window (Four panels, two stationery panels in each end and two center panels open in each direction) and Blackout lined panels as over drapery in same configurations.

When the NARA Panel System is combined with Roller or Roman Shades and only one NARA Treatment is desired; In addition to the 4 Panel System as above, 6 panel, Center Open System, or 3 Panel, One Way System can be used.

Example for 6 Panels, Center Open System;

- € Solar roller shade at the window (inside the window mullion if the conditions permit) and use Blackout lined NARA Panel System, Center Opening in 6 panels, as over drapery.
- € B/O Roller Shade at the window (inside the window mullion if the conditions permits) and use Sheer or Sun Screen material as NARA Panel System, Center Opening, in 6 panels as over drapery.

Fabric

While Panels can be made with almost any kind of fabrics, materials that do not need hemming are the most ideal. Solar or Sunscreen materials, vinyl zed Blackout fabrics can be used in place of sheers or blackout drapery. Sewn on blackout-lined panels are possible but avoid heavy weight fabrics for this purpose. Panel width can be varied from 24" to 40". An overlap of minimum 3" for sheer and 5"-8" for blackout lined panels are recommended.

Nara Panel Glide System

Product Information

Hardware:

KOJO T6 clear anodized aluminum – cannot be bent.

Operating System:

Hand/baton draw, cord draw or motorized (select one) track system, designed for accommodating and laterally moving flat fabric panels.

Exterior dimensions:

- € #102 (2-channel) 5/8" height x 1-1/4" width
- € #103 (3-channel) 5/8" height x 2" width
- € #104 (4-channel) 5/8" height x 2-3/4" width.




NARA PANEL GLIDE TRACK – 102: Two channels

- € Two one-way panels – One stationary panel, one panel is moving panel.
- € Three panels – Two stationary panels in each end, one moving panel.



NARA PANEL GLIDE TRACK – 103: Three channels

- € Three one-way panels – One stationary panel and two moving panels, one way.
- € Four Center Open panels – Two Stationery panels (One at each end) and two moving panels, one each direction, center opening.




NARA PANEL GLIDE TRACK – 104: Four channels

- € Four one-way panels – One stationary panel and three moving panels, one way.
- € Six Center Open panels – Two Stationery panels (One at each end) and four moving panels, two in each direction, center opening.



Components


- € All parts shall be made of polyamide 6.6, delrin, stainless steel or galvanized steel.
- € System shall include panel carriers with male Velcro
- € Rollers maximum spacing 6-1/2" o.c. for each panel.
- € System shall also include ceiling mount brackets, to be spaced at a maximum of 20" o.c.
- € Shall be original KOJO components.



Warranty

Hardware and components have a 5-year warranty from the date of installation.

How To Measure Draperies



KOJO

WORLDWIDE

HOTEL INDUSTRY SPECIALIST

Adding Value To Your Success

Corporate Headquarters
9645 Siempre Viva Road
San Diego, CA 92154

800 367-5664
Fax 619 710-0629
info@kojoworldwide.com
<http://www.kojoworldwide.com>